



Gingo

Airlite

-an ideal blend of security, comfort and convenience for beginners, XC and leisure pilots

-one of the lightest harnesses of its type, around 3.5kg

- improved airbag, with pre-inflation system

Dream. Touch. Believe.

www.gingliders.com



Gingo Airlite 2 - product information



The Gingo Airlite 2 is a high quality versatile airbag harness with seat plate and underseat rescue container. Suitable for beginners, leisure and XC pilots, the Gingo Airlite 2 offers an ideal blend of security, comfort and convenience. One of the lightest harnesses of its type, the compact and lightweight package weighs around 3.5kg.

Security

The Gingo Airlite 2 features an improved airbag, offering excellent shock protection (tested under 20G) due to an advanced valve system. The airbag also has a pre-inflation system for safer launches. A replaceable foam insert ensures that the airbag is at least partially inflated at all times, even during reverse take-offs.

Comfortable and aerodynamic

Improved back support, ergonomic seat with airmesh fabric and well-balanced harness geometry all help to keep the pilot comfortable, even on long flights. The exceptionally clean and wrinkle-free profile is a result of the GIN R&D team's advanced shaping and manufacturing technologies.

Convenient in the air and on the ground

The Gingo Airlite 2 is simple to use in the air, and light and compact to transport on the ground. The new GIN Triplex seat plate has an advanced composite structure which is around 50% lighter than a wooden seat plate but with extended durability. The honeycomb ripstop outer fabric is also light and packable, whilst offering excellent resistance against abrasion and degradation. The highest quality materials are used throughout the harness, guaranteeing a prolonged lifetime of service.

Gingo Airlite 2 - product information



Details:

- Lightweight buckles with T-lock safety system
- zipped inner back pocket for storage of rucksack etc
- hydration pack (camelbak) pocket with routing and hole
- radio pocket routing
- 2 side pockets
- optional foot stirrup with automatic release system
- optional carbon plate saves around 100g
- Carbon plate (sizes: S: 290mm W by 360mm D; M: 320mm W by 380mm D; L: 340mm W by 400mm D)

Webpage:

<http://www.gingliders.com/harnesses/gingo-airlite-2/>

Progress images:

http://gingliders.com/progress/?content%2Fphotos%2Fharness_and_accessories%2Fgingo_airlite_2%2F

Gingo Airlite 2 - product information

Specifications

Size	XS	S	M	L
Weight (kg)	3.1	3.4	3.6	3.8
Pilot height (cm)	under 165	160-175	170-185	over 180

Certification

The Gingo Airlite has EN and LTF certification, max load 120kg

Gingo Airlite harness: (EN) PH 098.2013 (LTF) GZ 098.2013

Parachute container

Integrated container underneath seat plate

Back protection

Airbag back protection

Delivery package

- 1 Harness
- 1 Triplex seat plate
- 2 GIN carabiners
- 1 Rescue deployment handle
- 1 Rescue Y-bridle (sewn in)

